


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: The ACM Digital Library The Guide

 FPGA scheduling simulation emulation

 Searching within **The ACM Digital Library** for: FPGA scheduling simulation emulation ([start a new search](#))

 Found **32** of **288,388**
Refinements ([remove all](#)) *click each refinement below to remove*

 Publication Year: [1994](#) ... [2003](#)
REFINE YOUR SEARCH
[Search Results](#)
[Related Journals](#)
[Related SIGs](#)
[Related Conferences](#)
▼ Refine by Keywords
 FPGA scheduling simul

[Discovered Terms](#)
▼ Refine by People
[Names](#)
[Institutions](#)
[Authors](#)
[Reviewers](#)
▼ Refine by Publications
[Publication Year](#)
[Publication Names](#)
[ACM Publications](#)
[All Publications](#)
[Content Formats](#)
[Publishers](#)
▼ Refine by Conferences
[Sponsors](#)
[Events](#)
[Proceeding Series](#)

Results 1 - 20 of 32

 Sort by [relevance](#) in [expanded form](#)
[Save results to a Binder](#)

 Result page: [1](#) [2](#) [next](#)
1 [Breakpoints and breakpoint detection in source-level emulation](#)
[Gernot H. Koch, W. Rosenstiel, U. Kobschall](#)

 April 1998 **Transactions on Design Automation of Electronic Systems (TODAES)** , Volume 3 Issue 2

Publisher: ACM [Request Permissions](#)

 Full text available: [Pdf](#) (203.65 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)
Bibliometrics: Downloads (6 Weeks): 3, Downloads (12 Months): 16, Downloads (Overall): 212, Citation Count: 1

We present an approach for accelerating the validation speed of behavioral system descriptions through hardware emulation. The method allows source-level debugging of running hardware specified in behavioral VH DL in a way similar to source-level debugging ...

Keywords: debugging, emulation, high-level synthesis

2 [A reconfigurable hardware approach to network simulation](#)
[Dimitrios Stiliadis, Anujan Varma](#)

 January 1997 **Transactions on Modeling and Computer Simulation (TOMACS)** , Volume 7 Issue 1

Publisher: ACM [Request Permissions](#)

 Full text available: [Pdf](#) (925.18 KB) Additional Information: [full citation](#), [references](#), [cited by](#), [index terms](#), [review](#)
Bibliometrics: Downloads (6 Weeks): 1, Downloads (12 Months): 20, Downloads (Overall): 435, Citation Count: 2

Keywords: ATM switch scheduling, field-programmable gate array, hardware simulation

3 [Reconfigurable computing: a survey of systems and software](#)
[Katherine Compton, Scott Hauck](#)

 June 2002 **Computing Surveys (CSUR)** , Volume 34 Issue 2

Publisher: ACM [Request Permissions](#)

 Full text available: [Pdf](#) (710.56 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#), [index terms](#), [review](#)
Bibliometrics: Downloads (6 Weeks): 96, Downloads (12 Months): 851, Downloads (Overall): 7453, Citation Count: 11

Due to its potential to greatly accelerate a wide variety of applications, reconfigurable computing has become a subject of a great deal of research. Its key feature is the ability to perform computations in hardware to increase performance, while retaining ...

Keywords: Automatic design, FPGA, field-programmable, manual design, reconfigurable architectures, reconfigurable computing, reconfigurable systems

4 [A software development tool chain for a reconfigurable processor](#)
[Alberto La Rosa, Luciano Lavagno, Claudio Passerone](#)

 November 2001 **CASES '01: Proceedings of the 2001 international conference on Compilers, architecture, and synthesis for embedded systems**
Publisher: ACM

 Full text available: [Pdf](#) (79.88 KB) Additional Information: [full citation](#), [references](#), [cited by](#), [index terms](#)
Bibliometrics: Downloads (6 Weeks): 3, Downloads (12 Months): 38, Downloads (Overall): 503, Citation Count: 7

5 [A reconfigurable logic machine for fast event-driven simulation](#)
[Jerry Bauer, Michael Bershteyn, Ian Kaplan, Paul Vvedin](#)

 May 1998 **DAC '98: Proceedings of the 35th annual Design Automation Conference**
Publisher: ACM [Request Permissions](#)

 Full text available: [Pdf](#) (129.52 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#), [index terms](#)
Bibliometrics: Downloads (6 Weeks): 2, Downloads (12 Months): 25, Downloads (Overall): 242, Citation Count: 9

As the density of VLSI circuits increases, software techniques cannot effectively simulate designs through the millions of simulation cycles needed for verification. Emulation can supply the necessary capacity and


ADVANCED SEARCH
[Advanced Search](#)
FEEDBACK
[Please provide us with feedback](#)

 Found **32** of **288,388**

performance, but emulation is limited ...


Keywords: event-driven simulation, reconfigurable computing

6 [Recent developments in high-level synthesis](#)

 [Youn-Long Lin](#)

January 1997 **Transactions on Design Automation of Electronic Systems (TODAES)** , Volume 2 Issue 1

Publisher: ACM 

Full text available:  [Pdf](#) (232.47 KB)


Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): 7, Downloads (12 Months): 91, Downloads (Overall): 2253, Citation Count: 16

We survey recent developments in high level synthesis technology for VLSI design. The need for higher-level design automation tools are discussed first. We then describe some basic techniques for various subtasks of high-level synthesis. Techniques that ...


Keywords: VLSI design, design automation, design methodology, high level synthesis

7 [Using rapid prototyping in computer architecture design laboratories](#)

 [James O. Hampton](#), [Henry Owen](#), [Sudhakar Yalamanchili](#), [Binh Dao](#)

January 1996 **WCAE-2 '96: Proceedings of the 1996 workshop on Computer architecture education**

Publisher: ACM


Full text available:  [Pdf](#) (243.40 KB)

Additional Information: [full citation](#), [abstract](#), [references](#)

Bibliometrics: Downloads (6 Weeks): 2, Downloads (12 Months): 20, Downloads (Overall): 104, Citation Count: 3


This paper describes the undergraduate computer architecture courses and laboratories introduced at Georgia Tech during the past two years. A core sequence of six required courses for computer engineering students has been developed. In this paper, emphasis ...

8 [High-level modeling and FPGA prototyping of microprocessors](#)

 [Joydeep Ray](#), [James C. Hos](#)

February 2003 **FPGA '03: Proceedings of the 2003 ACM/SIGDA eleventh international symposium on Field programmable gate arrays**

Publisher: ACM 

Full text available:  [Pdf](#) (148.95 KB)


Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): 1, Downloads (12 Months): 31, Downloads (Overall): 603, Citation Count: 4

Emerging high-level hardware description and synthesis technologies in conjunction with field-programmable gate arrays (FPGAs) have significantly lowered the threshold for hardware development. Opportunities exist to integrate these technologies into ...


Keywords: FPGA, evaluation, microarchitecture, microprocessor, operation-centric, prototyping

9 [Functional verification methodology of Chameleon processor](#)

 [Francoise Casaubert](#), [Anthony Melaac](#), [Mike Benjamin](#), [Mike Bartley](#), [Francois Pegedalla](#), [Frédéric Bosheteau](#), [Mohamed Belhadi](#), [Jeremy Egleston](#), [Gérard Mes](#), [Geoff Barrett](#), [Christian Berthel](#)

June 1996 **DAC '96: Proceedings of the 33rd annual Design Automation Conference**

Publisher: ACM 

Full text available:  [Pdf](#) (62.38 KB)

Additional Information: [full citation](#), [references](#), [cited by](#), [index terms](#)


Bibliometrics: Downloads (6 Weeks): 3, Downloads (12 Months): 14, Downloads (Overall): 273, Citation Count: 14

10 [Instruction Set Emulation for Rapid Prototyping of SoCs](#)

[Jurgen Schnerr](#), [Gunter Haug](#), [Wolfgang Rosenstiel](#)

March 2003 **DATE '03: Proceedings of the conference on Design, Automation and Test in Europe - Volume 1** , Volume 1

Publisher: IEEE Computer Society


Full text available:  [Pdf](#) (129.16 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): 1, Downloads (12 Months): 10, Downloads (Overall): 99, Citation Count: 2


In this paper the application of Instruction Set Emulation for rapid prototyping of SoCs will be presented. The emulation works in a way that both the software and the hardware behaviour of the emulated processor core is reproduced cycle accurately. ...

11 [A hierarchical approach for energy efficient application design using heterogeneous embedded systems](#)

 [Sumit Mehrotra](#), [Viktor K. Prasanna](#)

October 2003 **CASES '03: Proceedings of the 2003 international conference on Compilers, architecture and synthesis for embedded systems**

Publisher: ACM

Full text available:  [Pdf](#) (399.12 KB)


Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): 3, Downloads (12 Months): 35, Downloads (Overall): 562, Citation Count: 1

Several features such as reconfiguration, voltage and frequency scaling, low-power operating states, duty-cycling, etc. are exploited for latency and energy efficient application design using heterogeneous embedded systems. However, more choices during ...


Keywords: design space exploration, energy efficiency, heterogeneous embedded systems, performance estimation

12 [A hardware/software co-design flow and IP library based on simulink](#)

 L.M. Reyneri, E. Quinella, A. Serra, L. Lavaano

June 2001 **DAC '01**: Proceedings of the 38th annual Design Automation Conference

Publisher: ACM 


Full text available:  Pdf (119.94 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): 2, Downloads (12 Months): 53, Downloads (Overall): 480, Citation Count: 4


This paper describes a design flow for data-dominated embedded systems. We use The Mathworks' Simulink/trademark environment for functional specification and algorithmic analysis. We developed a library of Simulink blocks, each parameterized by design ...

13 [TIERS: Topology independent pipelined routing and scheduling for VirtualWire compilation](#)

 Charles Selvidas, Anant Agarwal, Matt Dahl, Jonathan Babb

February 1995 **FPGA '95**: Proceedings of the 1995 ACM third international symposium on Field-programmable gate arrays

Publisher: ACM 


Full text available:  Pdf (180.92 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): 3, Downloads (12 Months): 18, Downloads (Overall): 187, Citation Count: 6


TIERS is a new pipelined routing and scheduling algorithm implemented in a complete VirtualWireTM compilation and synthesis system. TIERS is described and compared to prior work both analytically and quantitatively. TIERS improves ...

14 [Hardware-assisted simulated annealing with application for fast FPGA placement](#)

 Michael G. Wrioughton, André M. DeHon

February 2003 **FPGA '03**: Proceedings of the 2003 ACM/SIGDA eleventh international symposium on Field programmable gate arrays

Publisher: ACM 

Full text available:  Pdf (503.33 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): 4, Downloads (12 Months): 25, Downloads (Overall): 590, Citation Count: 7

To truly exploit FPGAs for rapid turn-around development and prototyping, placement times must be reduced to seconds; late-bound, reconfigurable computing applications may demand placement times as short as microseconds. In this paper, we show how a ...


Keywords: design automation, field-programmable gate arrays, placement, reconfigurable computing, simulated annealing

15 [An approach for integrated specification and design of real-time systems](#)

Y. Tanurhan, H. Götz, S. Schmeier, K. Müller-Glaser

September 1996 **EURO-DAC '96/ EURO-VHDL '96**: Proceedings of the conference on European design automation


Publisher: IEEE Computer Society Press

Full text available:  Pdf (68.59 KB)

Additional Information: [full citation](#), [references](#), [index terms](#)


Bibliometrics: Downloads (6 Weeks): 2, Downloads (12 Months): 15, Downloads (Overall): 377, Citation Count: 0

16 [Functional partitioning improvements over structural partitioning for packaging constraints and synthesis tool performance](#)

 Frank Vahid, Thuy-Dm Le, Yu-Chin Hsu

April 1998 **Transactions on Design Automation of Electronic Systems (TODAES)**, Volume 3 Issue 2

Publisher: ACM 

Full text available:  Pdf (225.74 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): 2, Downloads (12 Months): 34, Downloads (Overall): 328, Citation Count: 5

Incorporating functional partitioning into a synthesis methodology leads to several important advantages. In functional partitioning, we first partition a functional specification into smaller subspecifications and then synthesize structure for each, ...


Keywords: behavioral synthesis, functional partitioning, system-level design

17 Automatic Evaluation of the Accuracy of Fixed-Point Algorithms

D. Menard, G. Semley

March 2002 **DATE '02**: Proceedings of the conference on Design, automation and test in Europe

Publisher: IEEE Computer Society

Full text available:  [Pdf](#) (263.13 KB)

Additional Information: [full citation](#), [abstract](#), [cited by](#)

Bibliometrics: Downloads (6 Weeks): 4, Downloads (12 Months): 26, Downloads (Overall): 236, Citation Count: 7


The minimization of cost, power consumption and time-to-market of DSP applications requires the development of methodologies for the automatic implementation of floating-point algorithms in fixed-point architectures. In this paper, a new methodology for ...

18 Wormhole IP over (connectionless) ATM

Manolis G. H. Katevenis, Iakovos Mavroidis, Georgios Sapountzis, Eva Kalivianaki, Ioannis Mavroidis, Georgios Givkopoulos

October 2001 **IEEE/ ACM Transactions on Networking (TON)**, Volume 9 Issue 5

Publisher: IEEE Press

Full text available:  [Pdf](#) (211.25 KB)


Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): 3, Downloads (12 Months): 21, Downloads (Overall): 346, Citation Count: 1

High-speed switches and routers internally operate using fixed-size cells or segments; variable-size packets are segmented and later reassembled. Connectionless ATM was proposed to quickly carry IP packets segmented into cells (AAL5) using a number of ...


Keywords: Connectionless ATM, IP over ATM, gigabit router, routing filter, wormhole IP, wormhole routing

19 Data memory minimisation for synchronous data flow graphs emulated on DSP-FPGA targets

 Marteen Adé, Rudy Lauwers, J. A. Papestraets

June 1997 **DAC '97**: Proceedings of the 34th annual Design Automation Conference

Publisher: ACM 


Full text available:  [Pdf](#) (278.40 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): 1, Downloads (12 Months): 33, Downloads (Overall): 191, Citation Count: 11


The paper presents an algorithm to determine the close-to-smallest possible data buffer sizes for arbitrary synchronous dataflow (SDF) applications, such that we can guarantee the existence of a deadlock free schedule. The presented algorithm fits in the ...

20 Energy/power estimation of regular processor arrays

 Steven Lierien, Sanjay Rajopadhye

October 2002 **ISSS '02**: Proceedings of the 15th international symposium on System Synthesis

Publisher: ACM

Full text available:  [Pdf](#) (909.01 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): 0, Downloads (12 Months): 9, Downloads (Overall): 167, Citation Count: 0





We propose a high-level analytical model for estimating the energy and/or power dissipation in VLSI processor (systolic) array implementations of loop programs, particularly for implementations on FPGA based CO-processors. We focus on the respective ...

Keywords: design space exploration, power estimation, processor array partitioning, programmable logic

Result page: [1](#) [2](#) [next](#) [»](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2010 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)